



PAK Recycling and Disposal Catalog



Welcome



We have flexible options that can be adapted to meet your individual needs and requirements.

This catalog illustrates our latest advancements in delivering innovative recycling and disposal products designed to save you time and money while keeping you in compliance with today's changing regulations.

We take environmental compliance seriously and continually work to improve our processes to ensure you are getting the products and services you deserve.

We would like to thank you for choosing us.

Table of Contents

Lamp Recycling Containers

Supply-190 Large 8ft Fluorescent Lamp Recycling Box.....	5
Supply-043 Medium 4ft Fluorescent Lamp Recycling Box.....	5
Supply-065 Large 4ft Fluorescent Lamp Recycling Box.....	5
Supply-044 Medium 8ft Fluorescent Lamp Recycling Box.....	5
Supply-126 2ft Mixed Lamps Recycling Box.....	6
Supply-191 Large Utube, Hid Recycling Box.....	6
Supply-192 Medium CFL Recycling Box.....	6

Ballast Recycling Containers

Supply-040 5 Gal Lamp Ballast Recycling Pail.....	6
---	---

Electronics Recycling Containers

Supply-061 Large Electronics Recycling Box.....	9
---	---

Battery Recycling Containers

Supply-041 3.5 Gal Dry Cell Battery Recycling Pail.....	11
---	----



Lamps and Ballast

Today's lighting systems are more energy efficient and environmentally friendly than ever before. Nevertheless, hazardous materials, such as mercury, may be contained in lighting waste. Environmental regulations require this waste be managed properly. Failure to follow regulations could result in costly environmental liability and adverse publicity.



SUPPLY-190

LARGE 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 / 57 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, or misc. 8ft straight LED lamps. DO NOT EXCEED the UN rated weight of 61 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y27.9/S/XX* USA/+BR9528



SUPPLY-043

MEDIUM 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 72 T8 4ft straight fluorescent lamps or 10 T12 or 20 T8 u-tube lamps, misc. 4ft T5 straight lamps. DO NOT EXCEED the UN rated weight of 34 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: LED Lamps, Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container.

UN RATING: 4G/Y15.7/S/XX* USA/+BR9505



SUPPLY-065

LARGE 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 12"x12"x48"

CAPACITY: 68 T12 / 146 T8 4ft straight fluorescent lamps, 22 T12 or 32 T8 u-tube lamps, misc. 4ft T5 straight lamps. DO NOT EXCEED the UN rated weight of 66 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: LED Lamps, Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y30.2/S/XX* USA/+BR9503



SUPPLY-044

MEDIUM 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x96"

CAPACITY: 16 T12 / 39 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, or misc. 8ft straight LED lamps. DO NOT EXCEED the UN rated weight of 35 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y16.2/S/XX* USA/+BR9504



SUPPLY-126

2FT MIXED LAMPS RECYCLING BOX

DIMENSIONS: 16"x16"x25"

CAPACITY: 22 T12 or 32 T8 u-tube lamps, 250 CFLs, misc. HIDs, LEDs or circular lamps. DO NOT EXCEED the UN rated weight of 58 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y26.5/S/XX* USA/+BR9527



SUPPLY-191

LARGE UTUBE, HID RECYCLING BOX

DIMENSIONS: 22"x22"x24"

CAPACITY: 46 T12 or 81 T8 u-tube lamps, or up to 60 400W HIDs. DO NOT EXCEED UN rated weight of 54 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Packaged in corrugated sleeve. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs and LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y24.8/S/XX* USA/+BR9502



SUPPLY-192

MEDIUM CFL RECYCLING BOX

DIMENSIONS: 15"x15"x15"

CAPACITY: 150 small spiral, 525 2-pin, 265 4-pin CFLs, or misc. incandescent, spots, LEDs or flood lamps. DO NOT EXCEED the UN rated weight of 37 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y17/S/XX* USA/+BR9499



SUPPLY-040

5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of intact and non-leaking TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y25/S/XX*

ELECTRONICS
RECYCLING



SUPPLY-193

6.5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Diameter: 11.45", Bottom Diameter: 10", Height: 18.3"

CAPACITY: 66 lbs. of intact and non-leaking TSCA-exempt PCB and non PCB magnetic and electronic lamp ballast.

INCLUDES: UN-rated, DOT approved 6.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y30/S/XX*



Electronics

Electronic waste is one of the fastest growing waste streams globally. This has been spurred by increasing technological advances that drive the development of new products and the replacement of outdated equipment. The outdated equipment may contain toxic or hazardous materials, such as cadmium, lead, or mercury which can contaminate the environment if disposed of improperly.



SUPPLY-061

LARGE ELECTRONICS RECYCLING BOX

DIMENSIONS: 22"x22"x22"

CAPACITY: 70 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Packaged in corrugated sleeve. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



Batteries

Every year, billions of used batteries that may contain corrosive materials such as potassium hydroxide (lye) or sulfuric acid; reactive metals such as lithium; or toxic metals such as mercury, lead, cadmium and nickel are thrown in the trash. Batteries can contaminate our environment if managed improperly.

Recycling batteries eliminates the risk of personal injury or loss of property and prevents pollution, thereby reducing the risk of future financial liability associated

ELECTRONICS
RECYCLING



SUPPLY-041

3.5 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.24"; Height: 10.58"

CAPACITY: 50 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y19/S/XX*

SUSTAINABILITY IN ACTION

To order, call 1 508-230-0110 or visit <http://nationallightbulb.com>